

TANK HEADS



MOLDED PLASTIC TANK HEADS

SWT's *Molded Tank Heads* are designed to be the sturdiest molded tank heads on the market. Solid, tough, glass-filled polypropylene or ABS copolymer provides years of reliable service. Perfect for carbon, DI, and other filter tank applications.

These tank heads feature 0.75 inch or 1 inch FPT pipe connections. Optional 0.5 inch or 0.75 inch fill hole and DI light monitor port is available on 0.75 inch heads only. Inlet screens are also available.



SM-MH25834S



LC-MH25875S



LC-MH2581S



LC-MH25875S-75
WITH DI LIGHT



TANK
HEAD
WITH
UPPER
SCREEN

See next page for available DI lights and upper screens.

Part Number	Description	Tank Opening Size	In/Out Ports Size	Center Riser Port Size	Side Port Size
SM-MH25834S	Tank Head, Glass-filled PP, Blue	2.5"- 8 NPSM	3/4" FPT	13/16"	N/A
LC-MH25875S	Tank Head, ABS Copolymer, Black	2.5"- 8 NPSM	3/4" FPT	13/16"	N/A
LC-MH25875S-05	Tank Head, ABS Copolymer, Black	2.5"- 8 NPSM	3/4" FPT	13/16"	1/2" FPT
LC-MH25875S-75	Tank Head, ABS Copolymer, Black	2.5"- 8 NPSM	3/4" FPT	13/16"	3/4" FPT
LC-MH2581S	Tank Head, ABS Copolymer, Black	2.5"- 8 NPSM	1" FPT	3/4"	N/A

MANUAL BACKWASHING VALVE



SWT's *Manual Backwashing Valve* features an effective design which allows three or four different service positions (bypass, shut-off, in service, backwash) by simple turning of the valve handle. The head is manually operated, requiring no

electricity. This head replaces complex plumbing systems requiring the need for separate bypass valves and shut-offs. The water treatment professional will save time and money by requiring fewer parts and less installation time. Stock sizes fit most common mineral tanks with a 2.5 inch #8 tank opening.

Manufactured from 30% glass-filled polypropylene. 0.75 inch FPT I/O standard external flow controls not included.

Part Number	Description	Tank Opening Size	In/Out Ports Size	Center Riser Port Size	Backwash Port Size
OS2534	Manual Valve, Black	2.5"- 8 NPSM	3/4" FPT	13/16"	1/2" FPT

TANK HEADS



MOLDED TANK HEAD ACCESSORIES

ALSO AVAILABLE:

DI LIGHTS

110 V, 5K Ohm, 1/2" MPT P/N LC-R7031-5K
110 V, 10K Ohm, 1/2" MPT P/N LC-R7031-10K
110 V, 20K Ohm, 1/2" MPT P/N LC-R7031-20K
110 V, 50K Ohm, 1/2" MPT P/N LC-R7031-50K
110 V, 200K Ohm, 1/2" MPT P/N LC-R7031-200K
110 V, 500K Ohm, 1/2" MPT P/N LC-R7031-500K
110 V, 1000K Ohm, 1/2" MPT P/N LC-R7031-1MEG
110 V, 2000K Ohm, 1/2" MPT P/N LC-R7031-2MEG

110 V, 5K Ohm, 3/4" MPT P/N LC-R7046-5K
110 V, 10K Ohm, 3/4" MPT P/N LC-R7046-10K
110 V, 20K Ohm, 3/4" MPT P/N LC-R7046-20K
110 V, 50K Ohm, 3/4" MPT P/N LC-R7046-50K
110 V, 200K Ohm, 3/4" MPT P/N LC-R7046-200K
110 V, 500K Ohm, 3/4" MPT P/N LC-R7046-500K
110 V, 1000K Ohm, 3/4" MPT P/N LC-R7046-1MEG
110 V, 2000K Ohm, 3/4" MPT P/N LC-R7046-2MEG

UPPER SCREEN / DIFFUSER

ATTACHES WITH SCREW

FOR SM-MH25834S

(SCREW SOLD SEPARATELY)

For 13/16 Inch Riser P/N SM-US813
Attachment Screw P/N SCW-S458-PPSS

DI LIGHTS WITH CONTROL MODULE

110 V, 5K Ohm, 1/2" MPT P/N LC-R7035-5K
110 V, 10K Ohm, 1/2" MPT P/N LC-R7035-10K
110 V, 20K Ohm, 1/2" MPT P/N LC-R7035-20K
110 V, 50K Ohm, 1/2" MPT P/N LC-R7035-50K
110 V, 200K Ohm, 1/2" MPT P/N LC-R7035-200K
110 V, 500K Ohm, 1/2" MPT P/N LC-R7035-500K
110 V, 1000K Ohm, 1/2" MPT P/N LC-R7035-1MEG
110 V, 2000K Ohm, 1/2" MPT P/N LC-R7035-2MEG

110 V, 10K Ohm, 3/4" MPT P/N LC-R7048-10K
110 V, 50K Ohm, 3/4" MPT P/N LC-R7048-50K
110 V, 200K Ohm, 3/4" MPT P/N LC-R7048-200K
110 V, 500K Ohm, 3/4" MPT P/N LC-R7048-500K
110 V, 1000K Ohm, 3/4" MPT P/N LC-R7048-1MEG
110 V, 2000K Ohm, 3/4" MPT P/N LC-R7048-2MEG

UPPER SCREEN / DIFFUSER

TWIST AND LOCK

FOR LC-MH25875S, LC-MH25875S-05,
LC-MH25875S-75, LC-MH2581S

For 3/4 Inch Riser P/N LC-D1203
For 13/16 Inch Riser P/N LC-D1203-01